

# Friiva™



Friiva™ Flood protection solutions



Friiva™ Gate & Fence  
Flood protection Barrier



# Friiva™ Gate & Fence Flood protection barrier

Fast and easy deployable aluminum flood protection barrier for fences, gates and doors



Friiva Gate and Fence barriers is a unique modular system made from aluminum. The system is versatile and can be customized to most height and length requirements to protect building or areas as required.

The barrier panels and posts are constructed in durable aluminum alloy. The aluminum barrier panels provide flood protection in vertical increments of 200 mm logs/planks.

The barrier panels stack on top of one another and most applications can be installed by one person.

## Friiva™ flood barrier benefits

- ✓ Protection height up to 4.5 m
- ✓ Barrier panels / logs and poles in Aluminum
- ✓ Fast installation with standard panels
- ✓ Customized solutions available.
- ✓ Easy to store
- ✓ Low maintenance required
- ✓ Long lifetime,



Friiva™ door gate flood barrier no extension pole









Friiva™ door gate flood barrier with extension pole



Friiva™ Flood protection solutions

TECHNICAL DATA	NF 35 LT	NF 35	NF 100
Panel / Log / Beam			
Panel Height	200 mm	200 mm	200 mm
Panel Thickness	35 mm	35 mm	100 mm
Panel material gauge	1.6 mm	2.5 mm	3.0 mm
Panel weight per M	2.5 kg	3.7 kg	5.9 kg
Max protection height	400 mm	1,200 mm	4,600 mm
Max length (width)*	6,000 mm	6,000 mm	6,000 mm
Material			
Panels,	Aluminum		
Post and extension poles	Aluminum		
Press down tools	SUS 304		
Bottom seals	PU/PE		
Panel & Post seals	Ethylene Propylene Diene Monomer Rubber (EPDM)		
*depending on protection height demountable extension poles can be used.			








Friiva™ Flood protection solutions



Housing flood protection gate



Factory flood protection gate



Factory flood protection fence



Public area flood protection fence

**AS FRIIS LTD.**

34/11 Phatthana Wet 8, Sukumvit Soi 71, Khwaeng Phra  
Khanong Nuea, Watthana, Bangkok 10110

Tel: +66 20 95 56 95

Fax: +66 20 95 56 90

E-mail: [info@as-friis.com](mailto:info@as-friis.com)

[www.as-friis.com](http://www.as-friis.com)